

Advantage Co-Pay (PA Individual Exchange) Co-Pay Schedule Effective 1/1/2024

Corporate (801)262-7475 Customer Service (800)662-5851

emihealth.com

| | | Adults (19 and over) | Children (up to age |
|----------------|---|----------------------|----------------------|
| Onde | On the Name | , | 19 {end of month}) |
| Code D0120 | Code Name Periodic oral evaluation - established patient | Patient Co-Pay* 0 | Patient Co-Pay* 0 |
| D0120 | Limited oral evaluation - established patient | 0 | 0 |
| D0145 | Oral evaluation - patient under 3 years of age | 0 | 0 |
| D0150 | Comprehensive oral evaluation - new or established patient | 0 | 0 |
| D0160 | Detailed and extensive oral evaluation - problem focused, by report | 0 | 0 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 0 | 0 |
| D0180 | Comprehensive periodontal evaluation - new or established patient | 0 | 0 |
| D0210 | Intraoral – complete comprehensive series of radiographic images | 0 | 0 |
| D0220 | Intraoral - periapical first film | 0 | 0 |
| D0230 | Intraoral - periapical each additional film | 0 | 0 |
| D0240 D0250 | Intraoral - occlusal film | 0 | 0 |
| D0250 D0270 | Extra-oral - 2D projection radiographic image Bitewing - single film | 0 | 0 |
| D0270 | Bitewing - single lilli | 0 | 0 |
| D0273 | Bitewings - two mins Bitewings - three films | 0 | 0 |
| D0274 | Bitewings - four films | 0 | 0 |
| D0277 | Vertical bitewings - 7 to 8 films | 0 | 0 |
| D0330 | Panoramic film | 0 | 0 |
| D0340 | Cephalometric film | 0 | 0 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 0 | 0 |
| D0391 | Interpretation of diagnostic image | 0 | 0 |
| D0470 | Diagnostic casts (*Only allowed up to age 19 {end of month}) | NA | 50% |
| D0601 | Caries risk assessment and documentation, with a finding of low risk | 0 | 0 |
| D0602 | Caries risk assessment and documentation, with a finding of moderate risk | 0 | 0 |
| D0603 | Caries risk assessment and documentation, with a finding of high risk | 0 | 0 |
| D1110 D1120 | Prophylaxis - adult | 0 | 0 |
| D1120 | Prophylaxis - child Topical fluoride varnish - therapeutic application for moderate to high caries risk patients (*Only allowed up to age 19) | | |
| D1206 | {end of month}) | NA | 0 |
| D1208 | Topical application of fluoride excl varnish (*Only allowed up to age 19 {end of month}) | NA | 0 |
| D1351 | Sealant - per tooth (*Only allowed up to age 19 {end of month}) | NA NA | 0 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient – permanent tooth (*Only allowed up to age 19 | NA | 0 |
| D1510 | Space maintainer - fixed - unilateral - per quadrant (*Only allowed up to age 19 (end of month)) | NA | 163 |
| D1516 | Space maintainer - fixed - bilateral, maxillary (*Only allowed up to age 19 {end of month}) | NA | 218 |
| D1517 | Space maintainer - fixed - bilateral, mandibular (*Only allowed up to age 19 (end of month)) | NA | 218 |
| D1520 | Space maintainer - removable - unilateral - per quadrant (*Only allowed up to age 19 {end of month}) | NA | 102 |
| D1526 | Space maintainer - removable - bilateral, maxillary (*Only allowed up to age 19 {end of month}) | NA | 155 |
| D1527 | Space maintainer - removable - bilateral, mandibular (*Only allowed up to age 19 {end of month}) | NA NA | 155 |
| D1551 | Re-cementation of bilateral space maintainer - maxillary (*Only allowed up to age 19 (end of month)) | NA NA | 30 |
| D1552 | Re-cementation of bilateral space maintainer - mandibular (*Only allowed up to age 19 {end of month}) | NA NA | 30 30 |
| D1553 D2140 | Re-cementation of unilateral space maintainer - per quadrant (*Only allowed up to age 19 (end of month)) Amalgam - one surface, primary or permanent | 29 | 29 |
| D2150 | Amalgam - two surfaces, primary or permanent | 37 | 37 |
| D2160 | Amalgam - three surfaces, primary or permanent | 53 | 53 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 60 | 60 |
| D2330 | Resin-based composite - one surface, anterior | 47 | 47 |
| D2331 | Resin-based composite - two surfaces, anterior | 58 | 58 |
| D2332 | Resin-based composite - three surfaces, anterior | 64 | 64 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 77 | 77 |
| D2390 | Resin-based composite crown, anterior | 83 | 83 |
| D2391 | Resin-based composite - one surface, posterior | 52 | 52 |
| D2392 | Resin-based composite - two surfaces, posterior | 73 | 73 |
| D2393 | Resin-based composite - three surfaces, posterior | 86 | 86 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 106 | 106 |
| D2510 D2520 | Inlay - metallic - one surface Inlay - metallic - two surfaces | 182 249 | 182 249 |
| D2530 | Inlay - metallic - three or more surfaces | 251 | 251 |
| D2542 | Onlay - metallic - two surfaces | 311 | 311 |
| D2543 | Onlay - metallic - three surfaces | 336 | 336 |
| D2544 | Onlay - metallic - four or more surfaces | 368 | 368 |
| D2610 | Inlay - porcelain/cermaic - one surface | 303 | 303 |
| D2620 | Inlay - porcelain/cermaic - two surfaces | 313 | 313 |
| D2630 | Inlay - porcelain/cermaic - three or more surfaces | 345 | 345 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 379 | 375 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 422 | 375 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 438 | 375 |
| D2650 | Inlay - resin-based composite - one surface | 193 | 193 |
| D2651 D2652 | Inlay - resin-based composite - two surfaces | 263 262 | 263 262 |
| | Inlay - resin-based composite - three or more surfaces | | |
| | Onlay - resin-based composite - two surfaces | 272 | |
| D2662 D2663 | Onlay - resin-based composite - two surfaces Onlay - resin-based composite - three surfaces | 272 280 | 272 280 |

| 0 - 1 - | Ondo Name | Detient On Best | Detient On Dest |
|----------------|--|-------------------|-------------------|
| Code D2710 | Code Name Crown - resin (indirect) | Patient Co-Pay* | Patient Co-Pay* |
| D2720 | Crown - resin with high noble metal | 392 | 375 |
| D2721 | Crown - resin with predominantly base metal | 363 | 363 |
| D2722 | Crown - resin with noble metal | 366 | 366 |
| D2740 | Crown - porcelain/ceramic | 394 | 375 |
| D2750 | Crown - porcelain fused to high noble metal | 396 | 375 |
| D2751 D2752 | Crown - porcelain fused to predominantly base metal Crown - porcelain fused to noble metal | 371 382 | 371 375 |
| D2752 D2753 | Crown - porcelain fused to hobie metal Crown - porcelain fused to titanium and titanium alloys | 385 | 375 |
| D2780 | Crown - 3/4 cast high noble metal | 382 | 375 |
| D2781 | Crown - 3/4 cast predominantly base metal | 359 | 359 |
| D2782 | Crown - 3/4 cast noble metal | 376 | 375 |
| D2783 | Crown - 3/4 porcelain/ceramic | 396 | 375 |
| D2790 | Crown - full cast high noble metal | 390 | 375 |
| D2791 D2792 | Crown - full cast predominantly base metal Crown - full cast noble metal | 355 371 | 355 371 |
| D2792 | Crown - titanium and titanium alloys | 556 | 375 |
| D2910 | Re-cement or re-bond inlay, onlay, veneer or partial coverage restoration | 20 | 20 |
| D2920 | Recement crown | 47 | 47 |
| D2928 | Prefabricated porcelain/ceramic crown - permanent tooth | 139 | 139 |
| D2929 | Prefabricated porcelain/ceramic crown – primary tooth | 160 | 160 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 142 | 142 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 142 | 142 |
| D2932 D2933 | Prefabricated resin crown | 89 161 | 89 161 |
| D2933 D2940 | Prefabricated stainless steel crown with resin window Protective restoration | 52 | 52 |
| D2949 | Restorative foundation for an indirect restoration | 64 | 64 |
| D2950 | Core buildup, including any pins | 126 | 126 |
| D2951 | Pin retention - per tooth, in addition to restoration | 23 | 23 |
| D2952 | Cast post and core in addition to crown | 166 | 166 |
| D2953 | Each additional cast post - same tooth | 58 | 58 |
| D2954 | Prefabricated post and core in addition to crown | 152 | 152 |
| D2955 D2957 | Post removal (not in conjunction with endodontic therapy) | 67 42 | 67 42 |
| D2980 | Each additional prefabricated post - same tooth Crown repair, by report | 85 | 85 |
| D2981 | Inlay repair by report | 93 | 93 |
| D2982 | Onlay repair by report | 93 | 93 |
| D2983 | Veneer repair by report | 93 | 93 |
| D2990 | Resin infilt of incipient lesions | 38 | 38 |
| D3110 | Pulp cap - direct (excluding final restoration) | 33 | 33 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 27 | 27 |
| D3220 | Therapeutic pulpotomy (excluding final restoration) - removal of pulp coronal to the dentinocemental junction and | 82 | 82 |
| D3221 D3222 | Pulpal debridement, primary and permanent teeth Partial pulpotomy for apexogenesis - permanent tooth with incomplete root development | 92 97 | 92 97 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 53 | 53 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 89 | 89 |
| D3310 | Anterior (excluding final restoration) | 287 | 287 |
| D3320 | Premolar (excluding final restoration) | 349 | 349 |
| D3330 | Molar tooth (excluding final restoration) | 459 | 375 |
| D3331 | Treatment of root canal obstruction; non-surgical access | 77 | 77 |
| D3332 D3333 | Incomplete endodontic therapy; inoperable or fractured tooth Internal root repair of perforation defects | 237 93 | 237 93 |
| D3346 | Retreatment of previous root canal therapy - anterior | 389 | 375 |
| D3347 | Retreatment of previous root canal therapy - anterior | 446 | 375 |
| D3348 | Retreatment of previous root canal therapy - molar | 547 | 375 |
| D3351 | Apexification/recalcification – initial visit (apical closure / calcific repair of perforations, root resorption, etc.) | 80 | 80 |
| D3352 | Apexification/recalcification - interim medication replacement (apical closure/calcific repair of perforations, root | 48 | 48 |
| D3353 | Apexification/recalcification - final visit (includes completed root canal therapy - apical closure/calcific repair of | 121 | 121 |
| D3355 | Pulpal regeneration - initial visit | 82 53 | 82 53 |
| D3356 D3357 | Pulpal regeneration - interim medication replacement Pulpal regeneration - completion of treatment | 90 | 90 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 348 | 348 |
| D3421 | Apicoectomy/periradicular surgery - premolar (first root) | 241 | 241 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 435 | 375 |
| D3426 | Apicoectomy/periradicular surgery (each additional root) | 144 | 144 |
| D3430 | Retrograde filling - per root | 109 | 109 |
| D3450 | Root amputation - per root | 137 | 137 |
| D3471 | Surgical repair of root resorption - anterior | 338 | 338 211 |
| D3472 D3473 | Surgical repair of root resorption - premolar Surgical repair of root resorption - molar | 211 338 | 338 |
| D3501 | Surgical exposure of root surface without apicoectomy or repair of root resorption - anterior | 338 | 338 |
| D3502 | Surgical exposure of root surface without apicoectomy or repair of root resorption - premolar | 211 | 211 |
| D3503 | Surgical exposure of root surface without apicoectomy or repair of root resorption - molar | 338 | 338 |
| D3920 | Hemisection (including any root removal), not including root canal therapy | 104 | 104 |
| D3950 | Canal preparation and fitting of preformed dowel or post | 45 | 45 |
| | Gingivectomy or gingivoplasty - four or more contiguous teeth or bounded teeth spaces per quadrant | 279 | 279 |
| D4210 | lock to the transfer to the tr | | |
| D4211 | Gingivectomy or gingivoplasty - one to three teeth, per quadrant | 131 | 131 |
| | Gingivectomy or gingivoplasty - one to three teeth, per quadrant Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth Gingival flap procedure, incl root planing - four or more contiguous teeth or bounded teeth spaces/quad | 131 121 332 | 131 121 332 |

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|----------------|--|-----------------|-----------------|
| D4245 D4249 | Apically positioned flap Clinical crown lengthening - hard tissue | 160 363 | 160 363 |
| D4249 D4260 | Osseous surgery (incl flap entry & closure) - four or more contiguous teeth or bounded teeth spaces/quad | 328 | 328 |
| D4261 | Osseous surgery (including flap entry and closure) - one to three teeth, per quadrant | 311 | 311 |
| D4263 | Bone replacement graft - first site in quadrant | 208 | 208 |
| D4264 | Bone replacement graft - each additional site in quadrant | 68 | 68 |
| D4266 | Guided tissue regeneration, natural teeth – resorbable barrier, per site | 233 | 233 |
| D4267 | Guided tissue regeneration, natural teeth – non-resorbable barrier, per site | 252 | 252 |
| D4268 | Surgical revision procedure, per tooth | 107 | 107 |
| D4270 | Pedicle soft tissue graft procedure Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant, or | 250 415 | 250 375 |
| D4273 D4275 | Soft tissue allograft | 321 | 321 |
| D4277 | Soft tissue graft procedure first tooth | 458 | 375 |
| D4278 | Soft tissue graft procedure each add tooth | 298 | 298 |
| D4322 | Splint - intra-coronal; natural teeth or prosthetic crowns | 112 | 112 |
| D4323 | Splint - extra-coronal; natural teeth or prosthetic crowns | 97 | 97 |
| D4341 | Periodontal scaling and root planing, four or more contiguous teeth or bounded teeth spaces per quadrant | 120 | 120 |
| D4342 | Periodontal scaling and root planing, one to three teeth, per quadrant | 60 | 60 |
| D4355 | Full mouth debridement to enable a comprehensive oral periodontal evaluation and diagnosis on a subsequent visit | 73 | 73 |
| D4910 D4921 | Periodontal maintenance | 65 5 | 65 5 |
| D4921 D5110 | Gingival irrigation with a medicinal agent – per quadrant Complete denture - maxillary | 608 | 375 |
| D5120 | Complete denture - mandibular | 607 | 375 |
| D5120 | Immediate denture - maxillary | 661 | 375 |
| D5140 | Immediate denture - mandibular | 667 | 375 |
| D5211 | Maxillary partial denture – resin base (including retentive/clasping materials, rests, and teeth) | 502 | 375 |
| D5212 | Mandibular partial denture – resin base (including retentive/clasping materials, rests, and teeth) | 582 | 375 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including retentive/clasping materials, rests, and teeth) | 674 | 375 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including retentive/clasping materials, rests, and teeth) | 674 | 375 |
| D5282 | Removable unilateral partial denture - one piece cast metal, maxillary (including clasps and teeth) | 226 | 226 |
| D5283 | Removable unilateral partial denture - one piece cast metal, mandibular (including clasps and teeth) | 223 | 223 |
| D5284 | Removable unilateral partial denture – one piece flexible base (including clasps and teeth) – per quadrant | 215 | 215 |
| D5286 | Removable unilateral partial denture – one piece resin (including claspsand teeth) – per quadrant | 226 | 226 |
| D5410 | Adjust complete denture - maxillary | 21 21 | 21 21 |
| D5411 D5421 | Adjust complete denture - mandibular Adjust partial denture - maxillary | 22 | 22 |
| D5422 | Adjust partial denture - mandibular | 21 | 21 |
| D5511 | Repair broken complete denture base, mandibular | 74 | 74 |
| D5512 | Repair broken complete denture base, maxillary | 73 | 73 |
| D5520 | Replace missing or broken teeth - complete denture (each tooth) | 37 | 37 |
| D5611 | Repair resin partial denture base, mandibular | 75 | 75 |
| D5612 | Repair resin partial denture base, maxillary | 74 | 74 |
| D5621 D5622 | Repair cast partial framework, mandibular Repair cast partial framework, maxillary | 87 88 | 87 88 |
| D5630 | Repair cast partial namework, maximary Repair or replace broken retentive/clasping materials - per tooth | 58 | 58 |
| D5640 | Replace broken teeth - per tooth | 64 | 64 |
| D5650 | Add tooth to existing partial denture | 82 | 82 |
| D5660 | Add clasp to existing partial denture | 63 | 63 |
| D5710 | Rebase complete maxillary denture | 140 | 140 |
| D5711 | Rebase complete mandibular denture | 134 | 134 |
| D5720 | Rebase maxillary partial denture | 133 | 133 |
| D5721 | Rebase mandibular partial denture | 134 | 134 |
| D5730 D5731 | Reline complete maxillary denture (chairside) Reline complete mandibular denture (chairside) | 87 85 | 87 85 |
| D5731 D5740 | Reline maxillary partial denture (chairside) | 76 | |
| D5741 | Reline mandibular partial denture (chairside) | 78 | 78 |
| D5750 | Reline complete maxillary denture (laboratory) | 180 | 180 |
| D5751 | Reline complete mandibular denture (laboratory) | 113 | 113 |
| D5760 | Reline maxillary partial denture (laboratory) | 110 | 110 |
| D5761 | Reline mandibular partial denture (laboratory) | 111 | 111 |
| D5810 | Interim complete denture (maxillary) | 186 | 186 |
| D5811 D5820 | Interim complete denture (mandibular) Interim partial denture (maxillary) | 195 255 | 195 255 |
| D5821 | Interim partial denture (maxillary) Interim partial denture (mandibular) | 232 | 232 |
| D5850 | Tissue conditioning, maxillary | 41 | 41 |
| D5851 | Tissue conditioning, mandibular | 40 | 40 |
| D6010 | Surgical placement of implant body: endosteal implant (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant (*Only allowed up to age 19 | NA | 375 |
| D6040 | Surgical placement: endosteal implant (*Only allowed up to age 19 {end of month}) | NA NA | 375 |
| D6050 | Surgical placement: transosteal implant (*Only allowed up to age 19 (end of month)) | NA NA | 375 |
| D6055 D6056 | Dental implant supported connecting bar (*Only allowed up to age 19 {end of month}) Prefabricated abutment - includes placement (*Only allowed up to age 19 {end of month}) | NA NA | 375 314 |
| D6057 | Custom abutment - includes placement (*Only allowed up to age 19 (end of month)) | NA NA | 375 |
| D6058 | Abutment supported porcelain/ceramic crown | 677 | 375 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 676 | 375 |
| D6060 | Abutment supported porcelain fused to metal crown (predominantly base metal) | 618 | 375 |
| D6061 | Abutment supported porcelain fused to metal crown (noble metal) | 644 | 375 |
| D6062 | Abutment supported cast metal crown (high noble metal) | 641 | 375 |

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|----------------|--|-----------------|-----------------|
| D6063 D6064 | Abutment supported cast metal crown (predominantly base metal) | 610 605 | 375 375 |
| D6065 | Abutment supported cast metal crown (noble metal) Implant supported porcelain/ceramic crown | 640 | 375 |
| D6066 | Implant supported crown - porcelain fused to high noble alloys | 683 | 375 |
| D6067 | Implant supported crown - high noble alloys | 595 | 375 |
| D6068 | Abutment supported retainer for porcelain/ceramic FPD (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) (*Only allowed up to age 19 {end of | NA | 375 |
| D6070 | Abutment supported retainer for porcelain fused to metal FPD (predominantly base metal) (*Only allowed up to age | NA | 375 |
| D6071 | Abutment supported retainer for porcelain fused to metal FPD (noble metal) (*Only allowed up to age 19 (end of | NA NA | 375 |
| D6072 D6073 | Abutment supported retainer for cast metal FPD (high noble metal) (*Only allowed up to age 19 (end of month)) | NA NA | 375 |
| D6073 | Abutment supported retainer for cast metal FPD (predominantly base metal) (*Only allowed up to age 19 {end of Abutment supported retainer for cast metal FPD (noble metal) (*Only allowed up to age 19 {end of month}) | NA NA | 375 375 |
| D6074 | Implant supported retainer for ceramic FPD (*Only allowed up to age 19 (end of month)) | NA NA | 375 |
| D6076 | Implant supported retainer for FPD - porcelain fused to high noble alloys (*Only allowed up to age 19 (end of | NA NA | 375 |
| D6077 | Implant supported retainer for metal FPD - high noble alloys (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6080 | Implant maintenance procedures, including removal of prosthesis, cleansing of prosthesis and abutmenta and | NA | 57 |
| D6082 | Implant supported crown – porcelain fused to predominantly base alloys (*Only allowed up to age 19 {end of month}) | NA | 375 |
| | | | |
| D6083 | Implant supported crown – porcelain fused to noble alloys (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6084 | Implant supported crown – porcelain fused to titanium and titanium alloys (*Only allowed up to age 19 (end of | NA | 375 |
| D6086 | month | NA | 375 |
| D6087 | Implant supported crown – predominantly base alloys (*Only allowed up to age 19 {end of month}) Implant supported crown – noble alloys (*Only allowed up to age 19 {end of month}) | NA NA | 375 |
| D6088 | Implant supported crown – noble alloys ("Only allowed up to age 19 (end of month)) | NA NA | 375 |
| D6090 | Repair implant supported crown – stantistin and stantistin alloys ("Only allowed up to age 19 (end of month)) | NA NA | 76 |
| | Replacement of semi-precision or precision attachment of implant/abutment supported prosthesis, per attachment | | |
| D6091 | (*Only allowed up to age 19 (end of month)) | NA | 182 |
| D6095 | Repair implant abutment, by report (*Only allowed up to age 19 {end of month}) | NA | 114 |
| D6098 | Implant supported retainer – porcelain fused to predominantly base alloys (*Only allowed up to age 19 {end of | NA | 375 |
| D6099 | Implant supported retainer for FPD – porcelain fused to noble alloys (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6100 | Surgical removal of implant body (*Only allowed up to age 19 {end of month}) | NA | 224 |
| D6101 | Dbrdmnt of peri-implant defect (*Only allowed up to age 19 {end of month}) | NA | 190 |
| D6102 | Dbrdmnt of peri-implant defect (*Only allowed up to age 19 (end of month)) | NA NA | 308 |
| D6103 | Bone graft repair of peri-implant (*Only allowed up to age 19 {end of month}) | NA NA | 155 |
| D6104 D6105 | Bone graft at time of implant placement (*Only allowed up to age 19 {end of month}) Removal of implant body not requiring bone removal or flap elevation (*Only allowed up to age 19 {end of month}) | NA NA | 138 70 |
| D6105 | Guided tissue regeneration - resorbable barrier, per implant (*Only allowed up to age 19 {end of month}) | NA NA | 233 |
| D6107 | Guided tissue regeneration - non-resorbable barrier, per implant (*Only allowed up to age 19 (end of month)) | NA NA | 252 |
| D6120 | Implant supported retainer – porcelain fused to titanium and titanium alloys (*Only allowed up to age 19 (end of | NA NA | 375 |
| D6121 | Implant supported retainer for metal FPD – predominantly base alloys (*Only allowed up to age 19 {end of month}) | NA | 375 |
| D6122 | Implant supported retainer for metal FPD – noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6123 | Implant supported retainer for metal FPD – titanium and titanium alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6190 | Radiographic/surgical implant index, by report (*Only allowed up to age 19 {end of month}) | NA | 137 |
| D6210 | Pontic - cast high noble metal | 351 | 351 |
| D6211 | Pontic - cast predominantly base metal | 316 | 316 |
| D6212 | Pontic - cast noble metal | 313 | 313 |
| D6214 D6240 | Pontic - titanium and titanium alloys Pontic - porcelain fused to high noble metal | 500 387 | 375 375 |
| D6241 | Pontic - porcelain fused to high hoole metal | 349 | 349 |
| D6242 | Pontic - porcelain fused to precommantly base metal | 368 | 368 |
| D6243 | Pontic – porcelain fused to titanium and titanium alloys | 350 | 350 |
| D6245 | Pontic - porcelain/ceramic | 385 | 375 |
| D6250 | Pontic - resin with high noble metal | 373 | 373 |
| D6251 | Pontic - resin with predominantly base metal | 323 | 323 |
| D6252 | Pontic - resin with noble metal | 363 | 363 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 214 | 214 |
| D6548 | Retainer - porcelain/ceramic for resin bonded fixed prosthesis | 308 | 308 |
| D6720 D6721 | Retainer crown - resin with high noble metal | 337 | 337 |
| D6721 D6722 | Retainer crown - resin with predominantly base metal Retainer crown - resin with noble metal | 335 334 | 335 334 |
| D6740 | Retainer crown - porcelain/ceramic | 391 | 375 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 396 | 375 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 366 | 366 |
| D6752 | Retainer crown - porcelain fused to noble metal | 378 | 375 |
| D6753 | Retainer crown - porcelain fused to titanium and titanium alloys | 328 | 328 |
| D6780 | Retainer crown - 3/4 cast high noble metal | 390 | 375 |
| D6781 | Retainer crown - 3/4 cast predominantly base metal | 373 | 373 |
| D6782 | Retainer crown - 3/4 cast noble metal | 353 | 353 |
| D6783 | Retainer crown - 3/4 porcelain/ceramic | 396 | 375 |
| D6784 D6790 | Retainer crown ¾ – titanium and titanium alloys Retainer crown - full cast high noble metal | 371 381 | 371 375 |
| D6790 D6791 | Retainer crown - full cast riigh noble metal Retainer crown - full cast predominantly base metal | 352 | 352 |
| D6792 | Retainer crown - full cast predominantly base metal | 367 | 367 |
| D6930 | Recement fixed partial denture | 61 | 61 |
| D6980 | Fixed partial denture repair necessitated by restorative material failure | 101 | 101 |
| D7111 | Coronal remnants - deciduous tooth | 42 | 42 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 54 | 54 |
| D7210 | Surgical removal of erupted tooth requiring elevation of mucoperiosteal flap and removal of bone and/or section of | 104 | 104 |
| D7220 | Removal of impacted tooth - soft tissue | 132 | 132 |
| D7230 | Removal of impacted tooth - partially bony | 160 | 160 |

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|-------------|---|-----------------|-----------------|
| D7240 | Removal of impacted tooth - completely bony | 213 | 213 |
| D7241 | Removal of impacted tooth - completely bony, with unusual surgical complications | 254 | 254 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 133 | 133 |
| D7251 | Coronectomy – intentional partial tooth removal, impacted teeth only | 228 | 228 |
| D7270 | Tooth reimplantation and/or stabilization of accidentally evulsed or displaced tooth | 128 | 128 |
| D7280 | Surgical access of an unerupted tooth | 223 | 223 |
| D7285 | Biopsy of oral tissue - hard (bone, tooth) | 238 | 238 |
| D7286 | Biopsy of oral tissue - soft (all others) | 114 | 114 |
| D7310 | Alveoloplasty in conjunction with extractions - per quadrant | 76 | 76 |
| D7311 | Alveoloplasty in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 98 | 98 |
| D7320 | Alveoloplasty not in conjunction with extractions - per quadrant | 202 | 202 |
| D7321 | Alveoloplasty not in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 264 | 264 |
| D7471 | Removal of lateral exostosis (maxilla or mandible) | 347 | 347 |
| D7510 | Incision and drainage of abscess - intraoral soft tissue | 101 | 101 |
| D7910 | Suture of recent small wounds up to 5 cm | 21 | 21 |
| D7921 | Collection and application of autologous blood concentrate product | 99 | 99 |
| D7953 | Bone replacement graft for ridge preservation – per site | 151 | 151 |
| D7956 | Guided tissue regeneration, edentulous area - resorbable barrier, per site | 233 | 233 |
| D7957 | Guided tissue regeneration, edentulous area - non-resorbable barrier, per site | 252 | 252 |
| D7961 | Buccal / labial frenectomy (frenulectomy) | 254 | 254 |
| D7962 | Lingual frenectomy (frenulectomy) | 254 | 254 |
| D7971 | Excision of pericoronal gingiva | 56 | 56 |
| D8010-D8999 | Orthodontic services (*Only allowed up to age 19 {end of month}) | NA NA | 50% |
| D9110 | Palliative (emergency) treatment of dental pain – minor procedure – per visit | 50 | 50 |
| D9215 | Local anesthesia | 9 | 9 |
| D9222 | Deep sedation/general anesthesia - first 15 minutes | 69 | 69 |
| D9223 | Deep sedation/general anesthesia - each subsequent 15 minute increment | 69 | 69 |
| D9230 | Analgesia, anxiolysis, inhalation of nitrous oxide | 24 | 24 |
| D9239 | Intravenous moderate (conscious) sedation/analgesia - first 15 minutes | 60 | 60 |
| D9243 | Intravenous moderate (conscious) sedation/analgesia - each subsequent 15 minute increment | 60 | 60 |
| D9310 | Consultation (diagnostic service by dentist or physician other than practitioner providing treatment) | 0 | 0 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 0 | 0 |
| D9440 | Office visit - after regularly scheduled hours | 0 | 0 |
| D9610 | Therapeutic parenteral drug, single administration | 26 | 26 |
| D9930 | Treatment of complications (post-surgical) - unusual circumstances, by report | 36 | 36 |
| D9944 | Occlusal guard - hard appliance, full arch | 287 | 287 |
| D9945 | Occlusal guard - soft appliance, full arch | 253 | 253 |
| D9946 | Occlusal guard - hard appliance, partial arch | 275 | 275 |
| D9951 | Occlusal adjustment - limited | 32 | 32 |
| D9995 | Teledentistry - synchronous; real-time encounter | 0 | 0 |