



| Code | Code Name | Adults (19 and over) | Children (up to age 19 (end of month)) |
|-------|--|----------------------|--|
| | | Patient Co-Pay* | Patient Co-Pay* |
| D0120 | Periodic oral evaluation - established patient | 0 | 0 |
| D0140 | Limited oral evaluation - problem focused | 0 | 0 |
| D0145 | Oral evaluation - patient under 3 years of age | 0 | 0 |
| D0150 | Comprehensive oral evaluation - new or established patient | 0 | 0 |
| D0160 | Detailed and extensive oral evaluation - problem focused, by report | 0 | 0 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 0 | 0 |
| D0180 | Comprehensive periodontal evaluation - new or established patient | 0 | 0 |
| D0210 | Intraoral - complete comprehensive series of radiographic images | 0 | 0 |
| D0220 | Intraoral - periapical first film | 0 | 0 |
| D0230 | Intraoral - periapical each additional film | 0 | 0 |
| D0240 | Intraoral - occlusal film | 0 | 0 |
| D0250 | Extra-oral - 2D projection radiographic image | 0 | 0 |
| D0270 | Bitewing - single film | 0 | 0 |
| D0272 | Bitewings - two films | 0 | 0 |
| D0273 | Bitewings - three films | 0 | 0 |
| D0274 | Bitewings - four films | 0 | 0 |
| D0277 | Vertical bitewings - 7 to 8 films | 0 | 0 |
| D0330 | Panoramic film | 0 | 0 |
| D0340 | Cephalometric film | 0 | 0 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 0 | 0 |
| D0391 | Interpretation of diagnostic image | 0 | 0 |
| D0470 | Diagnostic casts (*Only allowed up to age 19 (end of month)) | NA | 50% |
| D1110 | Prophylaxis - adult | 0 | 0 |
| D1120 | Prophylaxis - child | 0 | 0 |
| D1206 | Topical fluoride varnish - therapeutic application for moderate to high caries risk patients (*Only allowed up to age 19 (end of month)) | NA | 0 |
| D1208 | Topical application of fluoride excl varnish (*Only allowed up to age 19 (end of month)) | NA | 0 |
| D1351 | Sealant - per tooth (*Only allowed up to age 19 (end of month)) | NA | 0 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient - permanent tooth (*Only allowed up to age 19 (end of month)) | NA | 0 |
| D1510 | Space maintainer - fixed - unilateral - per quadrant (*Only allowed up to age 19 (end of month)) | NA | 170 |
| D1516 | Space maintainer - fixed - bilateral, maxillary (*Only allowed up to age 19 (end of month)) | NA | 228 |
| D1517 | Space maintainer - fixed - bilateral, mandibular (*Only allowed up to age 19 (end of month)) | NA | 228 |
| D1520 | Space maintainer - removable - unilateral - per quadrant (*Only allowed up to age 19 (end of month)) | NA | 104 |
| D1526 | Space maintainer - removable - bilateral, maxillary (*Only allowed up to age 19 (end of month)) | NA | 163 |
| D1527 | Space maintainer - removable - bilateral, mandibular (*Only allowed up to age 19 (end of month)) | NA | 163 |
| D1551 | Re-cementation of bilateral space maintainer - maxillary (*Only allowed up to age 19 (end of month)) | NA | 32 |
| D1552 | Re-cementation of bilateral space maintainer - mandibular (*Only allowed up to age 19 (end of month)) | NA | 32 |
| D1553 | Re-cementation of unilateral space maintainer - per quadrant (*Only allowed up to age 19 (end of month)) | NA | 32 |
| D2140 | Amalgam - one surface, primary or permanent | 29 | 29 |
| D2150 | Amalgam - two surfaces, primary or permanent | 37 | 37 |
| D2160 | Amalgam - three surfaces, primary or permanent | 55 | 55 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 60 | 60 |
| D2330 | Resin-based composite - one surface, anterior | 49 | 49 |
| D2331 | Resin-based composite - two surfaces, anterior | 58 | 58 |
| D2332 | Resin-based composite - three surfaces, anterior | 66 | 66 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 80 | 80 |
| D2390 | Resin-based composite crown, anterior | 86 | 86 |
| D2391 | Resin-based composite - one surface, posterior | 54 | 54 |
| D2392 | Resin-based composite - two surfaces, posterior | 75 | 75 |
| D2393 | Resin-based composite - three surfaces, posterior | 89 | 89 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 111 | 111 |
| D2510 | Inlay - metallic - one surface | 187 | 187 |
| D2520 | Inlay - metallic - two surfaces | 255 | 255 |
| D2530 | Inlay - metallic - three or more surfaces | 256 | 256 |
| D2542 | Onlay - metallic - two surfaces | 317 | 317 |
| D2543 | Onlay - metallic - three surfaces | 344 | 344 |
| D2544 | Onlay - metallic - four or more surfaces | 377 | 375 |
| D2610 | Inlay - porcelain/ceramic - one surface | 308 | 308 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 318 | 318 |
| D2630 | Inlay - porcelain/ceramic - three or more surfaces | 349 | 349 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 388 | 375 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 430 | 375 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 444 | 375 |
| D2650 | Inlay - resin-based composite - one surface | 196 | 196 |
| D2651 | Inlay - resin-based composite - two surfaces | 267 | 267 |
| D2652 | Inlay - resin-based composite - three or more surfaces | 263 | 263 |
| D2662 | Onlay - resin-based composite - two surfaces | 298 | 298 |
| D2663 | Onlay - resin-based composite - three surfaces | 307 | 307 |
| D2664 | Onlay - resin-based composite - four or more surfaces | 305 | 305 |
| D2710 | Crown - resin (indirect) | 146 | 146 |
| D2720 | Crown - resin with high noble metal | 399 | 375 |
| D2721 | Crown - resin with predominantly base metal | 371 | 371 |

Co-Pays are subject to change January 1st of each year.

* All services are subject to the EMI Health Maximum Allowable Charge. When using an out-of-network provider, the insured is responsible for all fees in excess of the Maximum Allowable Charge. There may be cases when the negotiated provider fee for an in-network provider exceeds the sum of the listed copay and claim payments for a given service. In such cases, EMI Health will pay the difference.

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|-------|---|-----------------|-----------------|
| D2722 | Crown - resin with noble metal | 375 | 375 |
| D2740 | Crown - porcelain/ceramic | 397 | 375 |
| D2750 | Crown - porcelain fused to high noble metal | 403 | 375 |
| D2751 | Crown - porcelain fused to predominantly base metal | 379 | 375 |
| D2752 | Crown - porcelain fused to noble metal | 391 | 375 |
| D2753 | Crown - porcelain fused to titanium and titanium alloys | 393 | 375 |
| D2780 | Crown - 3/4 cast high noble metal | 391 | 375 |
| D2781 | Crown - 3/4 cast predominantly base metal | 367 | 367 |
| D2782 | Crown - 3/4 cast noble metal | 386 | 375 |
| D2783 | Crown - 3/4 porcelain/ceramic | 402 | 375 |
| D2790 | Crown - full cast high noble metal | 398 | 375 |
| D2791 | Crown - full cast predominantly base metal | 363 | 363 |
| D2792 | Crown - full cast noble metal | 381 | 375 |
| D2794 | Crown - titanium and titanium alloys | 566 | 375 |
| D2910 | Re-cement or re-bond inlay, onlay, veneer or partial coverage restoration | 22 | 22 |
| D2920 | Recement crown | 50 | 50 |
| D2928 | Prefabricated porcelain/ceramic crown - permanent tooth | 130 | 130 |
| D2929 | Prefabricated porcelain/ceramic crown - primary tooth | 169 | 169 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 151 | 151 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 150 | 150 |
| D2932 | Prefabricated resin crown | 95 | 95 |
| D2933 | Prefabricated stainless steel crown with resin window | 170 | 170 |
| D2940 | Protective restoration | 52 | 52 |
| D2950 | Core buildup, including any pins | 132 | 132 |
| D2951 | Pin retention - per tooth, in addition to restoration | 24 | 24 |
| D2952 | Cast post and core in addition to crown | 170 | 170 |
| D2953 | Each additional cast post - same tooth | 60 | 60 |
| D2954 | Prefabricated post and core in addition to crown | 164 | 164 |
| D2955 | Post removal (not in conjunction with endodontic therapy) | 71 | 71 |
| D2957 | Each additional prefabricated post - same tooth | 46 | 46 |
| D2980 | Crown repair, by report | 84 | 84 |
| D2981 | Inlay repair by report | 93 | 93 |
| D2982 | Onlay repair by report | 93 | 93 |
| D2983 | Veneer repair by report | 93 | 93 |
| D2990 | Resin infill of incipient lesions | 39 | 39 |
| D3110 | Pulp cap - direct (excluding final restoration) | 36 | 36 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 27 | 27 |
| D3220 | Therapeutic pulpotomy (excluding final restoration) - removal of pulp coronal to the dentinocemental junction and | 88 | 88 |
| D3221 | Pulpal debridement, primary and permanent teeth | 97 | 97 |
| D3222 | Partial pulpotomy for apexogenesis - permanent tooth with incomplete root development | 103 | 103 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 56 | 56 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 94 | 94 |
| D3310 | Anterior (excluding final restoration) | 297 | 297 |
| D3320 | Premolar (excluding final restoration) | 364 | 364 |
| D3330 | Molar tooth (excluding final restoration) | 485 | 375 |
| D3331 | Treatment of root canal obstruction; non-surgical access | 81 | 81 |
| D3332 | Incomplete endodontic therapy; inoperable or fractured tooth | 256 | 256 |
| D3333 | Internal root repair of perforation defects | 97 | 97 |
| D3346 | Retreatment of previous root canal therapy - anterior | 408 | 375 |
| D3347 | Retreatment of previous root canal therapy - premolar | 470 | 375 |
| D3348 | Retreatment of previous root canal therapy - molar | 573 | 375 |
| D3351 | Apexification/recalcification - initial visit (apical closure / calcific repair of perforations, root resorption, etc.) | 86 | 86 |
| D3352 | Apexification/recalcification - interim medication replacement (apical closure/calcific repair of perforations, root | 51 | 51 |
| D3353 | Apexification/recalcification - final visit (includes completed root canal therapy - apical closure/calcific repair of | 129 | 129 |
| D3355 | Pulpal regeneration - initial visit | 88 | 88 |
| D3356 | Pulpal regeneration - interim medication replacement | 56 | 56 |
| D3357 | Pulpal regeneration - completion of treatment | 93 | 93 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 371 | 371 |
| D3421 | Apicoectomy/periradicular surgery - premolar (first root) | 254 | 254 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 460 | 375 |
| D3426 | Apicoectomy/periradicular surgery (each additional root) | 153 | 153 |
| D3430 | Retrograde filling - per root | 112 | 112 |
| D3450 | Root amputation - per root | 144 | 144 |
| D3471 | Surgical repair of root resorption - anterior | 350 | 350 |
| D3472 | Surgical repair of root resorption - premolar | 218 | 218 |
| D3473 | Surgical repair of root resorption - molar | 349 | 349 |
| D3501 | Surgical exposure of root surface without apicoectomy or repair of root resorption - anterior | 350 | 350 |
| D3502 | Surgical exposure of root surface without apicoectomy or repair of root resorption - premolar | 218 | 218 |
| D3503 | Surgical exposure of root surface without apicoectomy or repair of root resorption - molar | 349 | 349 |
| D3920 | Hemisection (including any root removal), not including root canal therapy | 108 | 108 |
| D3950 | Canal preparation and fitting of preformed dowel or post | 49 | 49 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or bounded teeth spaces per quadrant | 285 | 285 |
| D4211 | Gingivectomy or gingivoplasty - one to three teeth, per quadrant | 135 | 135 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 127 | 127 |
| D4240 | Gingival flap procedure, incl root planing - four or more contiguous teeth or bounded teeth spaces/quad | 342 | 342 |
| D4241 | Gingival flap procedure, including root planing - one to three teeth, per quadrant | 198 | 198 |
| D4245 | Apically positioned flap | 169 | 169 |
| D4249 | Clinical crown lengthening - hard tissue | 376 | 375 |
| D4260 | Osseous surgery (incl flap entry & closure) - four or more contiguous teeth or bounded teeth spaces/quad | 337 | 337 |
| D4261 | Osseous surgery (including flap entry and closure) - one to three teeth, per quadrant | 311 | 311 |

Co-Pays are subject to change January 1st of each year.

* All services are subject to the EMI Health Maximum Allowable Charge. When using an out-of-network provider, the insured is responsible for all fees in excess of the Maximum Allowable Charge. There may be cases when the negotiated provider fee for an in-network provider exceeds the sum of the listed copay and claim payments for a given service. In such cases, EMI Health will pay the difference.

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|-------|---|-----------------|-----------------|
| D4263 | Bone replacement graft - first site in quadrant | 213 | 213 |
| D4264 | Bone replacement graft - each additional site in quadrant | 123 | 123 |
| D4266 | Guided tissue regeneration, natural teeth – resorbable barrier, per site | 245 | 245 |
| D4267 | Guided tissue regeneration, natural teeth – non-resorbable barrier, per site | 295 | 295 |
| D4268 | Surgical revision procedure, per tooth | 110 | 110 |
| D4270 | Pedicle soft tissue graft procedure | 256 | 256 |
| D4273 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant, or | 436 | 375 |
| D4275 | Soft tissue allograft | 301 | 301 |
| D4277 | Soft tissue graft procedure first tooth | 474 | 375 |
| D4278 | Soft tissue graft procedure each add tooth | 298 | 298 |
| D4322 | Splint - intra-coronal; natural teeth or prosthetic crowns | 151 | 151 |
| D4323 | Splint - extra-coronal; natural teeth or prosthetic crowns | 129 | 129 |
| D4341 | Periodontal scaling and root planing, four or more contiguous teeth or bounded teeth spaces per quadrant | 119 | 119 |
| D4342 | Periodontal scaling and root planing, one to three teeth, per quadrant | 60 | 60 |
| D4355 | Full mouth debridement to enable a comprehensive oral periodontal evaluation and diagnosis on a subsequent visit | 77 | 77 |
| D4910 | Periodontal maintenance | 66 | 66 |
| D5110 | Complete denture - maxillary | 634 | 375 |
| D5120 | Complete denture - mandibular | 634 | 375 |
| D5130 | Immediate denture - maxillary | 695 | 375 |
| D5140 | Immediate denture - mandibular | 701 | 375 |
| D5211 | Maxillary partial denture – resin base (including retentive/clasping materials, rests, and teeth) | 538 | 375 |
| D5212 | Mandibular partial denture – resin base (including retentive/clasping materials, rests, and teeth) | 626 | 375 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including retentive/clasping materials, rests, and teeth) | 716 | 375 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including retentive/clasping materials, rests, and teeth) | 716 | 375 |
| D5282 | Removable unilateral partial denture - one piece cast metal, maxillary (including clasps and teeth) | 239 | 239 |
| D5283 | Removable unilateral partial denture - one piece cast metal, mandibular (including clasps and teeth) | 235 | 235 |
| D5284 | Removable unilateral partial denture – one piece flexible base (including clasps and teeth) – per quadrant | 227 | 227 |
| D5286 | Removable unilateral partial denture – one piece resin (including clasps and teeth) – per quadrant | 238 | 238 |
| D5410 | Adjust complete denture - maxillary | 22 | 22 |
| D5411 | Adjust complete denture - mandibular | 22 | 22 |
| D5421 | Adjust partial denture - maxillary | 23 | 23 |
| D5422 | Adjust partial denture - mandibular | 23 | 23 |
| D5511 | Repair broken complete denture base, mandibular | 73 | 73 |
| D5512 | Repair broken complete denture base, maxillary | 72 | 72 |
| D5520 | Replace missing or broken teeth - complete denture (each tooth) | 39 | 39 |
| D5611 | Repair resin partial denture base, mandibular | 76 | 76 |
| D5612 | Repair resin partial denture base, maxillary | 74 | 74 |
| D5621 | Repair cast partial framework, mandibular | 87 | 87 |
| D5622 | Repair cast partial framework, maxillary | 87 | 87 |
| D5630 | Repair or replace broken retentive/clasping materials - per tooth | 62 | 62 |
| D5640 | Replace broken teeth - per tooth | 67 | 67 |
| D5650 | Add tooth to existing partial denture | 87 | 87 |
| D5660 | Add clasp to existing partial denture | 64 | 64 |
| D5710 | Rebase complete maxillary denture | 147 | 147 |
| D5711 | Rebase complete mandibular denture | 141 | 141 |
| D5720 | Rebase maxillary partial denture | 140 | 140 |
| D5721 | Rebase mandibular partial denture | 141 | 141 |
| D5730 | Reline complete maxillary denture (chairside) | 90 | 90 |
| D5731 | Reline complete mandibular denture (chairside) | 89 | 89 |
| D5740 | Reline maxillary partial denture (chairside) | 80 | 80 |
| D5741 | Reline mandibular partial denture (chairside) | 82 | 82 |
| D5750 | Reline complete maxillary denture (laboratory) | 189 | 189 |
| D5751 | Reline complete mandibular denture (laboratory) | 119 | 119 |
| D5760 | Reline maxillary partial denture (laboratory) | 115 | 115 |
| D5761 | Reline mandibular partial denture (laboratory) | 116 | 116 |
| D5810 | Interim complete denture (maxillary) | 195 | 195 |
| D5811 | Interim complete denture (mandibular) | 203 | 203 |
| D5820 | Interim partial denture (maxillary) | 267 | 267 |
| D5821 | Interim partial denture (mandibular) | 241 | 241 |
| D5850 | Tissue conditioning, maxillary | 44 | 44 |
| D5851 | Tissue conditioning, mandibular | 42 | 42 |
| D6010 | Surgical placement of implant body: endosteal implant (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant (*Only allowed up to age 19 | NA | 375 |
| D6040 | Surgical placement: endosteal implant (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6050 | Surgical placement: transosteal implant (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6055 | Dental implant supported connecting bar (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6056 | Prefabricated abutment - includes placement (*Only allowed up to age 19 (end of month)) | NA | 326 |
| D6057 | Custom abutment - includes placement (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6058 | Abutment supported porcelain/ceramic crown | 674 | 375 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 676 | 375 |
| D6060 | Abutment supported porcelain fused to metal crown (predominantly base metal) | 618 | 375 |
| D6061 | Abutment supported porcelain fused to metal crown (noble metal) | 644 | 375 |
| D6062 | Abutment supported cast metal crown (high noble metal) | 641 | 375 |
| D6063 | Abutment supported cast metal crown (predominantly base metal) | 613 | 375 |
| D6064 | Abutment supported cast metal crown (noble metal) | 605 | 375 |
| D6065 | Implant supported porcelain/ceramic crown | 640 | 375 |
| D6066 | Implant supported crown - porcelain fused to high noble alloys | 683 | 375 |
| D6067 | Implant supported crown - high noble alloys | 593 | 375 |

Co-Pays are subject to change January 1st of each year.

* All services are subject to the EMI Health Maximum Allowable Charge. When using an out-of-network provider, the insured is responsible for all fees in excess of the Maximum Allowable Charge. There may be cases when the negotiated provider fee for an in-network provider exceeds the sum of the listed copay and claim payments for a given service. In such cases, EMI Health will pay the difference.

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|-------|--|-----------------|-----------------|
| D6068 | Abutment supported retainer for porcelain/ceramic FPD (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6070 | Abutment supported retainer for porcelain fused to metal FPD (predominantly base metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6071 | Abutment supported retainer for porcelain fused to metal FPD (noble metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6072 | Abutment supported retainer for cast metal FPD (high noble metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6073 | Abutment supported retainer for cast metal FPD (predominantly base metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6074 | Abutment supported retainer for cast metal FPD (noble metal) (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6075 | Implant supported retainer for ceramic FPD (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6076 | Implant supported retainer for FPD - porcelain fused to high noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6077 | Implant supported retainer for metal FPD - high noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6080 | Implant maintenance procedures, including removal of prosthesis, cleansing of prosthesis and abutments and | NA | 56 |
| D6082 | Implant supported crown - porcelain fused to predominantly base alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6083 | Implant supported crown - porcelain fused to noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6084 | Implant supported crown - porcelain fused to titanium and titanium alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6086 | Implant supported crown - predominantly base alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6087 | Implant supported crown - noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6088 | Implant supported crown - titanium and titanium alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6090 | Repair implant supported prosthesis, by report (*Only allowed up to age 19 (end of month)) | NA | 79 |
| D6091 | Replacement of semi-precision or precision attachment of implant/abutment supported prosthesis, per attachment (*Only allowed up to age 19 (end of month)) | NA | 218 |
| D6095 | Repair implant abutment, by report (*Only allowed up to age 19 (end of month)) | NA | 119 |
| D6098 | Implant supported retainer - porcelain fused to predominantly base alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6099 | Implant supported retainer for FPD - porcelain fused to noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6100 | Surgical removal of implant body (*Only allowed up to age 19 (end of month)) | NA | 230 |
| D6101 | Debridement of peri-implant defect (*Only allowed up to age 19 (end of month)) | NA | 115 |
| D6102 | Debridement of peri-implant defect (*Only allowed up to age 19 (end of month)) | NA | 302 |
| D6103 | Bone graft repair of peri-implant (*Only allowed up to age 19 (end of month)) | NA | 126 |
| D6104 | Bone graft at time of implant placement (*Only allowed up to age 19 (end of month)) | NA | 123 |
| D6105 | Removal of implant body not requiring bone removal or flap elevation (*Only allowed up to age 19 (end of month)) | NA | 76 |
| D6106 | Guided tissue regeneration - resorbable barrier, per implant (*Only allowed up to age 19 (end of month)) | NA | 311 |
| D6107 | Guided tissue regeneration - non-resorbable barrier, per implant (*Only allowed up to age 19 (end of month)) | NA | 336 |
| D6120 | Implant supported retainer - porcelain fused to titanium and titanium alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6121 | Implant supported retainer for metal FPD - predominantly base alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6122 | Implant supported retainer for metal FPD - noble alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6123 | Implant supported retainer for metal FPD - titanium and titanium alloys (*Only allowed up to age 19 (end of month)) | NA | 375 |
| D6190 | Radiographic/surgical implant index, by report (*Only allowed up to age 19 (end of month)) | NA | 74 |
| D6210 | Pontic - cast high noble metal | 350 | 350 |
| D6211 | Pontic - cast predominantly base metal | 318 | 318 |
| D6212 | Pontic - cast noble metal | 316 | 316 |
| D6214 | Pontic - titanium and titanium alloys | 498 | 375 |
| D6240 | Pontic - porcelain fused to high noble metal | 386 | 375 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 349 | 349 |
| D6242 | Pontic - porcelain fused to noble metal | 368 | 368 |
| D6243 | Pontic - porcelain fused to titanium and titanium alloys | 349 | 349 |
| D6245 | Pontic - porcelain/ceramic | 389 | 375 |
| D6250 | Pontic - resin with high noble metal | 373 | 373 |
| D6251 | Pontic - resin with predominantly base metal | 323 | 323 |
| D6252 | Pontic - resin with noble metal | 365 | 365 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 217 | 217 |
| D6548 | Retainer - porcelain/ceramic for resin bonded fixed prosthesis | 308 | 308 |
| D6720 | Retainer crown - resin with high noble metal | 339 | 339 |
| D6721 | Retainer crown - resin with predominantly base metal | 337 | 337 |
| D6722 | Retainer crown - resin with noble metal | 336 | 336 |
| D6740 | Retainer crown - porcelain/ceramic | 403 | 375 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 406 | 375 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 378 | 375 |
| D6752 | Retainer crown - porcelain fused to noble metal | 387 | 375 |
| D6753 | Retainer crown - porcelain fused to titanium and titanium alloys | 339 | 339 |
| D6780 | Retainer crown - 3/4 cast high noble metal | 401 | 375 |
| D6781 | Retainer crown - 3/4 cast predominantly base metal | 386 | 375 |
| D6782 | Retainer crown - 3/4 cast noble metal | 363 | 363 |
| D6783 | Retainer crown - 3/4 porcelain/ceramic | 408 | 375 |
| D6784 | Retainer crown 3/4 - titanium and titanium alloys | 381 | 375 |
| D6790 | Retainer crown - full cast high noble metal | 392 | 375 |
| D6791 | Retainer crown - full cast predominantly base metal | 361 | 361 |
| D6792 | Retainer crown - full cast noble metal | 377 | 375 |
| D6930 | Recent fixed partial denture | 63 | 63 |
| D6980 | Fixed partial denture repair necessitated by restorative material failure | 102 | 102 |
| D7111 | Coronal remnants - deciduous tooth | 43 | 43 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 58 | 58 |
| D7210 | Surgical removal of erupted tooth requiring elevation of mucoperiosteal flap and removal of bone and/or section of | 108 | 108 |
| D7220 | Removal of impacted tooth - soft tissue | 139 | 139 |
| D7230 | Removal of impacted tooth - partially bony | 169 | 169 |
| D7240 | Removal of impacted tooth - completely bony | 223 | 223 |
| D7241 | Removal of impacted tooth - completely bony, with unusual surgical complications | 267 | 267 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 141 | 141 |
| D7251 | Coronectomy - intentional partial tooth removal, impacted teeth only | 243 | 243 |
| D7270 | Tooth reimplantation and/or stabilization of accidentally avulsed or displaced tooth | 134 | 134 |
| D7280 | Surgical access of an unerupted tooth | 241 | 241 |
| D7285 | Biopsy of oral tissue - hard (bone, tooth) | 261 | 261 |

Co-Pays are subject to change January 1st of each year.

* All services are subject to the EMI Health Maximum Allowable Charge. When using an out-of-network provider, the insured is responsible for all fees in excess of the Maximum Allowable Charge. There may be cases when the negotiated provider fee for an in-network provider exceeds the sum of the listed copay and claim payments for a given service. In such cases, EMI Health will pay the difference.

| Code | Code Name | Patient Co-Pay* | Patient Co-Pay* |
|-------------|---|-----------------|-----------------|
| D7286 | Biopsy of oral tissue - soft (all others) | 124 | 124 |
| D7310 | Alveoplasty in conjunction with extractions - per quadrant | 82 | 82 |
| D7311 | Alveoplasty in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 106 | 106 |
| D7320 | Alveoplasty not in conjunction with extractions - per quadrant | 241 | 241 |
| D7321 | Alveoplasty not in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 314 | 314 |
| D7471 | Removal of lateral exostosis (maxilla or mandible) | 375 | 375 |
| D7510 | Incision and drainage of abscess - intraoral soft tissue | 111 | 111 |
| D7910 | Suture of recent small wounds up to 5 cm | 21 | 21 |
| D7921 | Collection and application of autologous blood concentrate product | 103 | 103 |
| D7953 | Bone replacement graft for ridge preservation - per site | 159 | 159 |
| D7956 | Guided tissue regeneration, edentulous area - resorbable barrier, per site | 245 | 245 |
| D7957 | Guided tissue regeneration, edentulous area - non-resorbable barrier, per site | 295 | 295 |
| D7961 | Buccal / labial frenectomy (frenulectomy) | 262 | 262 |
| D7962 | Lingual frenectomy (frenulectomy) | 262 | 262 |
| D7971 | Excision of pericoronal gingiva | 61 | 61 |
| D8010-D8999 | Orthodontic services (*Only allowed up to age 19 (end of month)) | NA | 50% |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure - per visit | 52 | 52 |
| D9215 | Local anesthesia | 9 | 9 |
| D9222 | Deep sedation/general anesthesia - first 15 minutes | 73 | 73 |
| D9223 | Deep sedation/general anesthesia - each subsequent 15 minute increment | 73 | 73 |
| D9230 | Analgesia, anxiolysis, inhalation of nitrous oxide | 26 | 26 |
| D9239 | Intravenous moderate (conscious) sedation/analgesia - first 15 minutes | 61 | 61 |
| D9243 | Intravenous moderate (conscious) sedation/analgesia - each subsequent 15 minute increment | 61 | 61 |
| D9310 | Consultation (diagnostic service by dentist or physician other than practitioner providing treatment) | 0 | 0 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 0 | 0 |
| D9440 | Office visit - after regularly scheduled hours | 0 | 0 |
| D9610 | Therapeutic parenteral drug, single administration | 28 | 28 |
| D9930 | Treatment of complications (post-surgical) - unusual circumstances, by report | 38 | 38 |
| D9944 | Occlusal guard - hard appliance, full arch | 291 | 291 |
| D9945 | Occlusal guard - soft appliance, full arch | 255 | 255 |
| D9946 | Occlusal guard - hard appliance, partial arch | 278 | 278 |
| D9951 | Occlusal adjustment - limited | 32 | 32 |
| D9995 | Teledentistry - synchronous; real-time encounter | 0 | 0 |

Co-Pays are subject to change January 1st of each year.

* All services are subject to the EMI Health Maximum Allowable Charge. When using an out-of-network provider, the insured is responsible for all fees in excess of the Maximum Allowable Charge. There may be cases when the negotiated provider fee for an in-network provider exceeds the sum of the listed copay and claim payments for a given service. In such cases, EMI Health will pay the difference.